	Application No.	Applicant(s)
Notice of Allowability	10/622,629	BEILER, AARON J.
	Examiner	Art Unit
	Hilary Gutman	3612
The MAILING DATE of this communication appears on the cover she t with the correspond nce address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to		
2. The allowed claim(s) is/are <u>1-6</u> .		
3.   The drawings filed on 18 July 2003 are accepted by the Examiner.		
<ul> <li>4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a) All b) Some* c) None of the:</li> <li>1. Certified copies of the priority documents have been received.</li> <li>2. Certified copies of the priority documents have been received in Application No.</li> <li>3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul>		
Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
<ul> <li>6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.</li> <li>(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached</li> <li>1) hereto or 2) to Paper No./Mail Date</li> <li>(b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date</li> <li>Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).</li> </ul>		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachm nt(s) 1. ☑ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)		atent Application (PTO-152) (PTO-413),
3.  Information Disclosure Statements (PTO-1449 or PTO/SB/0	Paper No./Mail Dat	te
Paper No./Mail Date  4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	,,  —	ent of Reasons for Allowance

Application/Control Number: 10/622,629 Page 2

Art Unit: 3612

**EXAMINER'S AMENDMENT** 

1. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

The application has been amended as follows: In claim 1, line 7, "an" has been deleted

and --a-- inserted therefore. On line 18, "a main beam" has been deleted and --one said main

beam-- inserted therefore. On line 19, "a main beam" has been deleted and --the respective main

beam-- inserted therefore.

2. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Hilary Gutman whose telephone number is 703-305-0496.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, Glenn Dayoan can be reached on 703-308-3102. The fax phone number for the

organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

D. GLENN DAYOAN

SUPERVISORY PATENT EXAMINER

**TECHNOLOGY CENTER 3600**